TRONIX guided by light

RGB data repeater || 3 channel | 12V/24V

ARTICLE NUMBER: 214-128

View this product in our webshop



11.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

This RGB data repeater functions as a signal amplifier for an RGB signal. This RGB data repeater functions as a signal amplifier for an RGB signal. This makes it possible to further send the signal of an existing controller, allowing you to control additional RGB lighting with a single set. Can be used in combination with a 12/24 Volt power supply (not included).

Features

- 3 channels
- Compact format
- IP20 for indoor use

Technical specifications:

Product Name	RGB data repeater || 3 channel | 12V/24V
Ean	8714984918610
Model	Dynamic
Housing	Metal housing
Programmable	No
Max. output current	24A
Output voltage	12 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	91mm
Width	90mm
Height	24mm
Number of zones	1
Number of colour channels	3, RGB
Suitable for surface mounting	Yes
Suitable for built-in mounting	No
Input voltage	12 - 24V
Control method	None/not dimmbale

11.11.2026 - Disclaimer: information subject to change.

DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years