

Sensor connect | sensor | hand sweep | white | surface mount

ARTICLE NUMBER: 213-544

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.

Ultra-thin wave sensor for the Easy Connect system. Operated with a hand movement within 5 cm for switching and dimming LED lighting. Suitable for cabinet and furniture lighting and other discreet interior applications.

Key product features

- **Mounting method:** Surface mounted
- **Max. reach frontally (m):** 0.05

Technical specifications:


Product Name	Sensor connect sensor hand sweep white surface mount
Ean	8714984954113
Outer box qty	1st
Colour	White
Type	Hand wave sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	Yes
Mounting method	Flush-mounted
Mounting height	0.05m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	0.05m
Max. reach frontally	0.05m
Detection angle horizontal	- - -??
With presence detector	No
With movement sensor	Yes

24.08.2026 - Disclaimer: information subject to change.



With light sensor	No
Response value sensitivity adjustable	No
Response value luminosity adjustable	No
Teach-function for response value luminosity	No
Dim function with dimmer basic element	Yes
Switch-off delay self-learning	No
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.

