

Sensor connect | sensor | PIR | white | recessed

ARTICLE NUMBER: 213-534

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Compact PIR motion sensor for the Easy Connect system. Detects movement within 3–4 m and automatically switches lighting on or off.

Key product features

- **Mounting method:** Recessed
- **Diameter reach on floor (m):** 1.5
- **Response value sensitivity adjustable:** No
- **Response value luminosity adjustable:** No
- **Max. duty cycle (min):** 0.5
- **With movement sensor:** Yes
- **With light sensor:** No


Technical specifications:

Product Name	Sensor connect sensor PIR white recessed
Ean	8714984954069
Outer box qty	1st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	Yes
Mounting method	Flush-mounted
Mounting height	3m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	1m

24.08.2026 - Disclaimer: information subject to change.

Max. reach frontally	4m
Diameter reach on floor	1.5m
Detection angle horizontal	120 - 120??
Min. switch-on time	30s
Max. duty cycle	0.5min
With presence detector	No
With movement sensor	Yes
With light sensor	No
Response value sensitivity adjustable	No
Response value luminosity adjustable	No
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.