TRONIX guided by light

Sensor connect | sensor | PIR | white | recessed

ARTICLE NUMBER: 213-534

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

Compact PIR motion sensor for the Easy Connect system. Detects movement within 3–4 m and automatically switches lighting on or off.

Key product features


- **Mounting method:** Recessed
- **Diameter reach on floor (m):** 1.5
- **Response value sensitivity adjustable:** No
- **Response value luminosity adjustable:** No
- **Max. duty cycle (min):** 0.5
- **With movement sensor:** Yes
- **With light sensor:** No

Technical specifications:

Product Name	Sensor connect | sensor | PIR | white | recessed
Ean	8714984954069
Outer box qty	1st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	Yes
Mounting method	Flush-mounted
Mounting height	3m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	1m

Max. reach frontally	4m
Diameter reach on floor	1.5m
Detection angle horizontal	120 - 120??
Min. switch-on time	30s
Max. duty cycle	0.5min
With presence detector	No
With movement sensor	Yes
With light sensor	No
Response value sensitivity adjustable	No
Response value luminosity adjustable	No
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

15.11.2026 - Disclaimer: information subject to change.



15.11.2026 - Disclaimer: information subject to change.