TRONIX guided by light

Sensor connect | sensor | touch | white | recessed

ARTICLE NUMBER: 213-536

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

Compact touch sensor for the Easy Connect system. Enables touch control of lighting with smooth dimming function and 4 selectable PWM frequencies.


Key product features

- **Mounting method:** Recessed

Technical specifications:

Product Name	Sensor connect | sensor | touch | white | recessed
Ean	8714984954076
Outer box qty	1st
Colour	White
Type	Touch sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	Yes
Mounting method	Flush-mounted
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Detection angle horizontal	- - -??
With presence detector	No
With movement sensor	No
With light sensor	No
Response value sensitivity adjustable	No
Response value luminosity adjustable	No

Teach-function for response value luminosity	No
Dim function with dimmer basic element	Yes
Switch-off delay self-learning	No
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No


20mm
20mm
20mm
Drilling depth
18.5mm
22.5mm
Hole diameter
17mm