TRONIX guided by light

Sensor | door | 12~24V | black | recessed

ARTICLE NUMBER: 213-513

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Door sensor for automatic switching of LED lighting when opening and closing cabinet or furniture doors. Suitable for 12–24 V DC applications and designed for discreet installation in furniture, cabinets and display cases.

Key product features

- **Mounting method:** Recessed
- **Max. reach frontally:** 0.08 m
- **Colour:** Black


Please note: Suitable for applications up to 24 V DC.
Need a higher power rating? Use art.nr. 213-550 in combination with art.nr. 213-533.

Technical specifications:

Product Name	Sensor | door | 12~24V | black | recessed
Ean	8714984954274
Outer box qty	1st
Colour	Black
Type	Door sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	0.08m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	0.08m

Max. reach frontally	0.08m
Detection angle horizontal	- - -°
With presence detector	No
With movement sensor	No
With light sensor	Yes
Response value sensitivity adjustable	No
Response value luminosity adjustable	No
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Max. switching power	24W
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9005
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

15.11.2026 - Disclaimer: information subject to change.



15.11.2026 - Disclaimer: information subject to change.