TRONIX guided by light

Sensor | motion | 12~24V | white | surface mounted

ARTICLE NUMBER: 213-502

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

Slim radar sensor (5–24 V DC) with integrated module for detecting human movement. Suitable for direct connection between power supply and LED strip, without recessing or screw mounting.

Key product features


- **Mounting method:** Surface-mounted
- **Max. reach frontally (m):** 5
- **Response value sensitivity adjustable:** Yes
- **Response value luminosity adjustable:** No
- **Max. duty cycle (min):** 5
- **With movement sensor:** Yes
- **With light sensor:** No

Technical specifications:

Product Name	Sensor | motion | 12~24V | white | surface mounted
Ean	8714984953987
Outer box qty	1st
Colour	White
Type	Movement sensor
Material	Plastic
Material quality	Thermoplastic
Sensor connect	No
Mounting method	Flush-mounted
Mounting height	3m
Suitable for degree of protection (IP)	IP20
Suitable for wireless transmission	No
Constant light control	No
Networkable	No
Max. reach sideways	8m

Max. reach frontally	8m
Diameter reach on floor	1.5m
Detection angle horizontal	120 - 120??
Min. switch-on time	10s
Max. duty cycle	5min
With presence detector	No
With movement sensor	Yes
With light sensor	No
Response value sensitivity adjustable	No
Response value luminosity adjustable	No
Teach-function for response value luminosity	No
Dim function with dimmer basic element	No
Switch-off delay self-learning	No
Max. switching power	72W
Operation mode switch	No
Staircase light controller	No
Halogen free	Yes
RAL-number (similar)	9016
Surface finishing	Matt
Warranty	5 years
Dimming D4i	No

15.11.2026 - Disclaimer: information subject to change.


52.00mm
7.00mm