

SPI | controller | SC/RGB(W) | RF

ARTICLE NUMBER: 213-481

View this
product in
our
webshop



05.09.2026 - Disclaimer: information subject to change.



RF SPI controller for SC, RGB and RGBW pixel lighting. Equipped with dual SPI outputs, a digital display and 3-button control for direct adjustment of colours, effects and speed.

Key product features

- **Number of colour channels:** 4
- **Output voltage (V):** 5–24
- **Input voltage (V):** 5–24
- **Max. output current (A):** 8
- **Control type:** Constant voltage
- **Type of control:** RF

Technical specifications:


Product Name	SPI controller SC/RGB(W) RF
Ean	8714984953956
Outer box qty	1st
Model	Dynamic
Housing	Plastic housing
Programmable	Yes
Max. output current	8A
Output voltage	5 - 24V
Suitable for outdoor use	No
Degree of protection (IP)	IP20
Length	170mm
Width	50mm
Height	23mm
Number of zones	1
Number of colour channels	4, RGBW
Suitable for surface mounting	Yes

05.09.2026 - Disclaimer: information subject to change.



Suitable for built-in mounting	Yes
Input voltage	5 - 24V
Control method	SPI
DIN-rail mounting	No
Brand	Tronix Lighting
Compatible with Casambi	No
Control type	Constant voltage
Warranty	5 years

05.09.2026 - Disclaimer: information subject to change.



05.09.2026 - Disclaimer: information subject to change.