TRONIX guided by light

Track spot | 3-phase | black | GU10 | 50mm

ARTICLE NUMBER: 169-153

View this product in our webshop



13.11.2026 - Disclaimer: information subject to change.

CARE SHARE CONNECT

tronixlighting.com

This track spot is equipped with a separate GU10 socket, making it possible to work with various light sources. This allows one to set up the light completely as desired, with unlimited possibilities in terms of light color and control.

Rails & accessories - 3 phase track

Tronix Lighting offers a wide and diverse range in terms of 3 phase tracks and matching accessories. Each product is available in matching colors for a beautiful, customized result.

Features

- With GU10 socket
- IP20, seperate lamps not included

Technical specifications:

Product Name	Track spot | 3-phase | black | GU10 | 50mm
Ean	8714984946033
Outer box qty	30st
Lamp type	LED exchangeable
Lamp holder	GU10
Housing colour	Black
Housing material	Aluminium
Length	212mm
Outer diameter	60mm
Built-in length	- - -mm
Built-in width	- - -mm
Built-in height	- - -mm
Built-in diameter	0 - 0mm
Suitable for built-in mounting	No
Suitable for surface mounting	Yes

Suitable for pedestal/floor mounting	No
Colour	Black
Suitable for wall mounting	No
Suitable for ceiling mounting	Yes
Suitable for light-track mounting	Yes
Suitable for clamp-mounting	No
With movement sensor	No
With light sensor	No
Reflector colour	Silver
Colour temperature	Optional
Light outlet	Direct
Voltage type	AC
Nominal voltage	220 - 240V
Nominal current	- - -mA
Number of poles	3
Light source included	No, without LED
Light distributor	None
Connectable conductor cross section	0 - 0mm??
Type of control gear	Not required
Exchangeable control gear	No
With control gear	No
Degree of protection (IP), rear side	IP20
Surface protection	Powder coating
Impact strength	IK02
Rated luminous flux according to IEC 62722-2- 1	- - -lm
Luminaire efficacy	- - -lm/W

13.11.2026 - Disclaimer: information subject to change.

Suitable for lamp power	0 - 0W
Surface brushed	No
Type of wiring	Ending
Emergency power supply system	None
Emergency function monitoring system	None
Adjustability	Rotating and swivelling
Reflector	None
Warranty	5 years
Ambient temperature	-20 - 45??C
Input voltage tracklights	230V









13.11.2026 - Disclaimer: information subject to change.