TRONIX guided by light

Track spot | 3-phase | black | GU10 | AR70

ARTICLE NUMBER: 169-151

View this product in our webshop



15.11.2026 - Disclaimer: information subject to change.

This track spot is equipped with a GU10 socket and is made for use with separate AR70 light sources. This allows you to arrange the light from the spot entirely as you wish.

Rails & accessories - 3 phase track

Tronix Lighting offers a wide and diverse range in terms of 3 phase tracks and matching accessories. Each product is available in matching colors for a beautiful, customized result.

Features

- With GU10 socket, suitable for AR70 light sources
- IP20, seperate lamps not included

Technical specifications:

Product Name	Track spot | 3-phase | black | GU10 | AR70
Ean	8714984946019
Outer box qty	20st
Lamp type	LED exchangeable
Lamp holder	GU10
Housing colour	Black
Housing material	Aluminium
Length	185mm
Outer diameter	80mm
Built-in length	- - -mm
Built-in width	- - -mm
Built-in height	- - -mm
Built-in diameter	0 - 0mm
Suitable for built-in mounting	No
Suitable for surface mounting	Yes
Suitable for pedestal/floor mounting	No

15.11.2026 - Disclaimer: information subject to change.

Colour	Black
Suitable for wall mounting	No
Suitable for ceiling mounting	Yes
Suitable for light-track mounting	Yes
Suitable for clamp-mounting	No
With movement sensor	No
With light sensor	No
Reflector colour	Silver
Colour temperature	Optional
Light outlet	Direct
Voltage type	AC
Nominal voltage	220 - 240V
Nominal current	- - -mA
Number of poles	3
Light source included	No, without LED
Light distributor	None
Connectable conductor cross section	0 - 0mm??
Type of control gear	Not required
Exchangeable control gear	No
With control gear	No
Degree of protection (IP), rear side	IP20
Surface protection	Powder coating
Impact strength	IK02
Rated luminous flux according to IEC 62722-2- 1	- - -lm
Luminaire efficacy	- - -lm/W
Suitable for lamp power	0 - 0W

15.11.2026 - Disclaimer: information subject to change.

Surface brushed	No
Type of wiring	Ending
Emergency power supply system	None
Emergency function monitoring system	None
Adjustability	Rotating and swivelling
Reflector	None
Warranty	5 years
Ambient temperature	-20 - 45??C
Input voltage tracklights	230V







