


Zigbee | controller | Zigbee/RF to trailing edge

ARTICLE NUMBER: 213-440

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Zigbee 3.0 trailing edge phase-cut dimmer for wireless switching and dimming of dimmable 230 V light sources. Designed for professional installations where compact recessed mounting, smooth dimming performance and smart control are required.

Key product features

- **Light value memory:** Yes
- **Nominal voltage (V):** 100–240
- **Control voltage (V):** 100–240
- **Trailing edge dimming:** Yes
- **Max. switching capacity LED (W):** 360
- **Control method:** Zigbee


Technical specifications:

Product Name	Zigbee controller Zigbee/RF to trailing edge
Ean	8714984953888
Outer box qty	1st
Colour	White
Connection type	Screwed terminal
Operating method	Other
Control method	Zigbee
Mounting method	Built-in
Material	Plastic
Material quality	Thermoplastic
Applicable with presence indicator	Yes
Suitable for degree of protection (IP)	IP20
Applicable with movement sensor	Yes
Applicable with button	Yes
Applicable with transmission button	Yes

24.08.2026 - Disclaimer: information subject to change.

Applicable with time switch/timer	Yes
Nominal voltage	100 - 240V
Control voltage	100 - 240V
Min. depth of built-in installation box	28mm
Min. brightness controllable	Yes
Max. switching power LED	200W
Light value memory	Yes
Halogen free	Yes
RAL-number (similar)	9016
Core cross section	0.75 - 2.5mm??
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.