

Zigbee | driver | 25W | 250~700mA |
max. 54V | NFC

ARTICLE NUMBER: 214-261

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Zigbee 3.0 LED driver for constant current applications up to 25 W. Output current adjustable via NFC. Compatible with Philips Hue, Homey and other platforms.

Key product features

- **Suitable for constant current:** Yes
- **Output voltage (V):** 6 – 54
- **Output current (mA):** 250 – 700
- **Output power (W):** 1.5 – 25
- **Input voltage (V):** 200 – 240
- **Control protocol:** Zigbee
- **Control type:** Constant current


Technical specifications:

Product Name	Zigbee driver 25W 250~700mA max. 54V NFC
Ean	8714984948358
Outer box qty	1st
Housing	Plastic housing
Model	Static
Output voltage	6 - 54V
Output current	250 - 700mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	Yes
Output power	1.5 - 25W
Degree of protection (IP)	IP20
Length	120mm
Width	41mm
Height	28mm
Power consumption	25W

24.08.2026 - Disclaimer: information subject to change.

Input voltage	200 - 240V
Frequency input voltage	50 - 60Hz
PWM modulation	No
Overload protection	Yes
Overtemperature protection	Yes
Control method	Zigbee
Short-circuit protected	Yes
Ambient temperature	-25 - 45??C
Driver lifetime	100000h
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	Central (central battery)
Control type	Constant current
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



CARE SHARE CONNECT