


Zigbee | driver | 50W | 250~1000mA | TW

ARTICLE NUMBER: 214-262

View this
product in
our
webshop



24.08.2026 - Disclaimer: information subject to change.



Powerful Zigbee 3.0 LED driver for Tuneable White applications up to 50 watts. Adjustable current via dipswitches (250–1000 mA) with flicker-free dimming from 0.1–100%.

Key product features

- **Suitable for constant current:** Yes
- **Output voltage (V):** 8 – 52
- **Output current (mA):** 250 – 1000
- **Output power (W):** 2 – 50
- **Input voltage (V):** 200 – 240
- **Control method:** Zigbee
- **Control type:** Constant current


Technical specifications:

Product Name	Zigbee driver 50W 250~1000mA TW
Ean	8714984938328
Outer box qty	1st
Housing	Plastic housing
Model	Dynamic
Output voltage	8 - 52V
Output current	250 - 1000mA
Suitable for outdoor use	No
Suitable for DC-voltage (primary side)	No
Output power	2 - 50W
Degree of protection (IP)	IP20
Length	210mm
Width	50mm
Height	32mm
Power consumption	50W

24.08.2026 - Disclaimer: information subject to change.

Input voltage	200 - 240V
Frequency input voltage	50 - 60Hz
PWM modulation	No
Overload protection	Yes
Overtemperature protection	Yes
Control method	Zigbee
Short-circuit protected	Yes
Ambient temperature	-20 - 45??C
Driver lifetime	100000h
DIN-rail mounting	No
Brand	Tronix Lighting
Dimmable	Yes
Emergency power supply system	None
Control type	Constant current
Warranty	5 years

24.08.2026 - Disclaimer: information subject to change.



24.08.2026 - Disclaimer: information subject to change.