



LED ropelight | 230V | 50m | horizon | 2400K WW+



230V LED rope lights from Tronix Lighting are hugely popular due to their versatility and durability, allowing them to be used year-round. Light ropes are ideal for lighting locations both indoors and outdoors. Think of terraces, cafes, swimming pools or as accent lighting at a bar.

Features

- IP65
- 100% matching color with the Pro system modular 230V range
- Horizontal LED structure
- 36 DIP leds per meter
- Clippable per 100 cm rope light
- Including power cable (schuko EU plug)

Article number:	055-110
CHANGED_LAST:	13-06-2024
Brand:	Tronix Lighting
Type:	Rope lights
ETIM Group:	EG000027 - Luminaires
ETIM Classes:	EC002706 - Light ribbon-/hose/-strip
SYNONYM:	LED, LED strip, LED-light ribbon-/hose/-strip, LED-strip, Light ribbon-/hose/-strip, Single LED





Feature

Model:	Hose	Colour rendering index CRI:	70-79
Mounting method:	Surface mounting/recessed mounting	Power factor:	0.95
Lamp type:	LED not exchangeable	Colour of light adjustable:	No
Number of nodes per meter:	36	Luminous flux adjustable:	Continuously variable
Lamp power per meter:	3.2 W	Beam angle adjustable:	No
Lamp power per foot:	0 W	Width:	0 mm
Luminous flux per meter:	100 lm	Height/depth:	0 mm
Voltage type:	AC	Length:	50000 mm
Lamp voltage:	230 ~ 230 V	Diameter:	13 mm
Beam angle:	360 °	Lowest bending radius:	100 mm
Type of control gear:	Not required	Length of particular segments:	1000 mm
Suitable for dimmer:	Yes	With end piece:	Yes
Exchangeable control gear:	No	With connection set:	Yes
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	With protective cover:	No
Rated life time L70/B50 at 25 °C:	20000 h	Self-adhesive:	No
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Type of wiring:	Ending
Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Number of poles:	2
Degree of protection (IP):	IP65	Conductor cross section:	0.75 mm ²
Degree of protection (NEMA):	2	Connection type:	Other
Protection class:	II	Compatible with Apple HomeKit:	No
Max. system power:	163.2 W	Compatible with Google Assistant:	No
Colour of light:	White	Compatible with Amazon Alexa:	No
Constant light output (CLO):	No	IFTTT support available:	No
Colour temperature:	2400 ~ 2400 K	commercial, christmas or lightdesign:	NA

Packaging data

Weight	8.6 gr
Width	340 mm
Height	170 mm
Length	340 mm
Customs code	9405114090

